

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
1 BRS	2407	702/38,65,66,104,115,116,119,121,123,129,147,186,189,194.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:07		
2 BRS	2163	702/for.103,104,105,106,110,124,157,142,139,150,155,156,157,160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:07		
3 BRS	14251	360/113,119,121,123,124,75,77.02,77.08,316,63,78.14,66,25,46,53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:07		
4 BRS	2631	702/38,65,66,104,115,116,119,121,123,129,147,186,189,194.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:07		
5 BRS	2283	702/for.103,104,105,106,110,124,157,142,139,150,155,156,157,160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:07		
6 BRS	14629	360/113,119,121,123,124,75,77.02,77.08,316,63,78.14,66,25,46,53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
7 BRS	5	determin\$3 with magnitude with current with electromagnetic with transducer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:11		
8 BRS	80	determin\$3 with magnitude with current with transducer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:11		
9 BRS	4	determin\$3 with (bias or variation) with temperature and magnitude with current with transducer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:12		
10 BRS	3	determin\$3 with (bias or variation) with temperature and magnitude with current with electromagnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:13		
11 BRS	33	(bias or variation) with temperature and magnitude with current with electromagnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:16		
12 BRS	0	(numeric\$2 or digit\$2) with (bias or variation) with temperature and magnitude with current with electromagnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:16		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
13 BRS	0	(numeric\$2 or digit\$2) with (bias or variation) with temperature\$1 and magnitude with current with electromagnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:17		
14 BRS	0	(numeric\$2 or digit\$2) with (bias or variation) with temperature\$1 and magnitude with current with (electro adj magnetic or electromagnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:17		
15 BRS	0	(numeric\$2 or digit\$2) with (bias or variation or offset) with temperature\$1 and magnitude with current with (electro adj magnetic or electromagnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:18		
16 BRS	5	(numeric\$2 or digit\$2) with (bias or distortion or deviation or chang\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and magnitude with current with (electro adj magnetic or electromagnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:21		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
17 BRS	5	(numeric\$2 or digit\$2) with (bias or distortion or deviation or chang\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and magnitude with current with (electro adj magnetic or electromagnetic orelectro-magnetic)	USPAT; US-PGPUB; EPO; 2004/08/04 JPO; DERWENT; 13:30 IBM_TDB			
18 BRS	4	actual with value with (bias or distortion or deviation or chang\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and magnitude with current with (electro adj magnetic or electromagnetic orelectro-magnetic)	USPAT; US-PGPUB; EPO; 2004/08/04 JPO; DERWENT; 13:40 IBM_TDB			
19 BRS	5	actual with value with (bias or distortion or deviation or chang\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and magnitude with current with magnetic	USPAT; US-PGPUB; EPO; 2004/08/04 JPO; DERWENT; 14:03 IBM_TDB			
20 BRS	6	actual with value with (bias or distortion or deviation or chang\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and temperature with current with magnetic	USPAT; US-PGPUB; EPO; 2004/08/04 JPO; DERWENT; 13:45 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS	9	actual with value with (bias or distortion or deviation or change\$3 or modif\$7 or varia\$3 or offset) with temperature\$1 and magnitude with (voltage or current) with \$7magnetic	USPAT; US-PGPUB; EPO; 2004/08/04 JPO; DERWENT; 14:04 IBM_TDB			